

PURCHASE ORDER

Cabadbaran Campus

CARAGA STATE UNIVERSITY

Cumpliar	VOCON	ENTERPRISES	P. O. No.	002-2024-04-09	8
Address:				09/05/2024	
Address: TIN:	butuan	City	Mode of Procurement:		NP-SVP
Gentleme		urnish this Office the following articles subject to the terms and conditions contained herein:			
Place of I	Delivery	Pick up from	Delivery T	erm:	
Date of D	elivery	30 days upon receive P.O	Payment T	erm:	within 60 days upon
Charle					complete delivery
Stock No.	Unit	Description	Quantity	Unit Cost	Total Cost
	lot	SUPPLY AND DELIVERY OF AUDIO EQUIPMENT AND ACCESSORIES	1	486,000.00	486,000.00
	unit	AMPLIFIER, GX-5000 1000W X2 PROFESSIONAL POWER AMPLIFIER MAX POWER OF 1000W X 2 2 MIC INPUT USB BLUETOOTH AUX1 AUX2 MIC BASS, TREBLE, ECHO CONTROL BINDING POST AND SPEAK ON TERMINAL WITH SUB OUT, LINE OUT AND MIC OUT FEEDBACK REDUCER BUTTON LOUDNESS BUTTON (offer brand: KEYLER GX-5000)	1	14,800.00	
	pc.	AUDIO MIXER, Portable 4-Channel Sound Card Mixing Console Audio Mixer Built-in 16 DSP 48V Phantom power Supports BT Connection EU Plug (offer brand: KEVLER MX-04.BT)	1	4,800.00	
	units	AUDIO MIXER 12-CHANNEL WITH USB, BLUETOOTH AND MP3 PLAYBACK, : 12 CHANNEL INPUT COMPACT MIXER *8 MIC/LINE 2 AUX STEREO INPUT *3 BAND EQ *24BIT 99DSP DIGITAL EFFECT *MUTE AND SOLO FUNCTION *PHANTOM POWER 48V *2 BUS *HEADPHONE AND FOOT SWITCH *2 AUX OUT *BLUETOOTH *USB *MP3 FUNCTION (offer brand: KEVLER MX 12-BT)	3	14,800.00	
	unit	CONFERENCE MICROPHONE CHAIRMAN UNIT, LM-502 SERIES 16" CONDENSER CONFERENCE MICROPHONE UNIT WITH SPEECH TOGGLE BUTTONS, ADJUSTABLE GOOSENECK BOOM ARM, AND RED LIGHT INDICATOR FOR BUSINESS CONFERENCE SYSTEM (offer brand: KEVLER LM-5020)	1	4,900.00	
	units	CONFERENCE MICROPHONE DELIGATE UNIT, LM-502 SERIES 16" CONDENSER CONFERENCE MICROPHONE UNIT WITH SPEECH TOGGLE BUTTONS, ADJUSTABLE GOOSENECK BOOM ARM, AND RED LIGHT INDICATOR FOR BUSINESS CONFERENCE SYSTEM (offer brand: KEVLER LM-5020)	8	4,700.00	
	unit	CONFERENCE SYSTEM MAIN UNIT FOR CONFERENCE MIC WITH USB, SD, FM AND RECORD FUNCTION, LM -500U System3.7kg - attachment: 8P DIN extension cable 10Mx1 - color: black main unit (50W) - power source: AC220V-240V 50Hz - input: MIC, Auxiliary - output: 8P mic unit portX3, monitor, recording -frequency response: 50-16000Hz - size: 420x175x65MM - weight: (offer brand: KEVLER LM-5000)	1	11,500.00	
	units	LAPEL, Fifine K031B Wireless USB Microphones for Computers, PC, Mac, USB Receiver, Transmitter, Headset and Clip Lavalier Lapel Mic (offer brand: Fifine K031B)	2	2,900.00	
	units	MEGAPHONE, heavy duty PLUG & SOUND MEGAPHONE WITH RECH. BATTERY AUX BLUETOOTH RECORDING RECH. BATTERY INCLUDED (offer brand: CROWN SR-966)	2	1,300.00	
	pcs.	MICROPHONE, heavy duty with 10meters wire offer brand: 5HURE PG 18)	2	1,100.00	
percent for	everyda	Page 1 of 4 of failure to make the full delivery within the time specified above a penalty of one-tenth (1 to y of delay shall be imposed. Time: 1 1	of one Very truly	yours ROLYN C. DAG University Pro	

warranty in case of supplies and one (1) year warranty in the case of equipment from the date the goods are completely delivered

(Signature Over Printed Name of Supplier/Duly Authorized Representative)

ARLENE D. GALES, CPA

Fund Cluster:

Signature over Printed Name of Chief Accountant/ Head of Accounting Division/Unit

ORS/BURS No. :


Date of the ORS/BURS: 2 0 MAY 2024 Amount: 486,000.00


Funds Available:



PURCHASE ORDER

CARAGA STATE UNIVERSITY









Supplier:	. VOCON	A ENTERPRISES	P. O. No.	002-2024-04-0	98
Address:	Butuar	City	Date:	09/05/2024	
TIN:			Mode of P	rocurement:	NP-SVP
Gentlem	en:				
	Please fo	urnish this Office the following articles subject to the terms and conditions contained herein:			
	e of Delivery Pick up from		Delivery Term:		
Date of I	e of Delivery: within 30 days upon received P.O			Term:	within 60 days upon
	,				complete delivery
Stock No.	Unit	Description	Quantity	Unit Cost	Total Cost
		MICROPHONE, UMC500 RECHARGEABLE DUAL UHF WIRELESS MICROPHONE 200			
		SELECTABLE FREQUENCIES AUTO FREQUENCY SEARCH FUNCTION EASY TO SYN			
		AND OPERATE RECEIVER DISPLAY BATTERY STATUS 4 PCS MAGNETIC LITHIUM			
	sets	RECHARGEABLE BAT 2 BATTERY CHARGER SLOT ON RECEIVER LCD DISPLAY ON	4	12,000.00	
		TRANSMITTER AND RECEIVER 1U RACK SPACE MOUNTABLE DUAL ANTENNA			
	1	RECEIVING SYSTEM 3.7V 1100 MAH LI-ION BATTERY			
		(offer brand: KEVLER UMC-500)			
		MICROPHONE, 2 BLUETOOTH WIRELESS MICROPHONE WITH TUNING SET, WITH			
	sets	HIFI AMPLIFIER 326BT 12V/220V; Double A BAttery; with Audio Cable	3	3,800.00	
	_	(offer brand: KIMP)			
		MICROPHONE CABLE - PVC OUTER JACKET PROFESSIONAL, MY206			
	rolls	PROFESSIONAL MICROPHONE CABLE - PVC OUTER JACKET 1 x 2 x 0.22 mm ²	3	17,500.00	
	1000	(AWG 24) (100M) ultra-low capacitance 60 pF/m (18 pF/ft) extremely		17,300.00	
		flexible successor product of MY206WS is IR206			
		MICROPHONE STAND, triangular support base, steel tube metal stand is			
		strong and firm The stand can be folded and retracted. Straight rod length:			
	sets	about 80-140CM The height of the bracket is about 80-140CM (plus the	3	1,800.00	
	1	inclined rod can be adjusted about 1.8 meters) Tripod opening diameter is			
		about 60CM; Crossbar length: about 65CM			
		MICROPHONE STORAGE BAG, Portable Wireless Microphone Storage Bag Eva			
	pc.	Microphone Carry Case Product size: about 30x15x 7 cm/11.81x5.91x2.76	3	900.00	
		inches; Net weight: 180g/0.40lb;			
		MUSIC SHEET STAND, *11.5" x 20" Bookplate tilts and is fully adjustable, 1"			
	1	platform hold thin books or music sheets "Metalspring arm extensions hold			
	1	music sheets securely in place Two tier vertical shaft, makes this stand			
		perfect for sitting or standing. Height adjusts from 28" to 52" * Tripod leg			
	sets	assembly adjusts to tight spaces and folds flat for storage Light weight and	2	1,800.00	
		easily portable. Comes with carry bag * Folded up to a small 22 inch compact			
		sizefor easy carrying. * Traditional stand for musicians of all types. *Color:			
		Black * Material: Steel * Stand Heights: 50-140cm * SheetMusic Open			
		Size:30*50cm * Package Size: Approx. 53*9*6cm			

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for everyday of delay shall be imposed.

Page 2 of 4

Conforme:

(Signature Ove

(Date)

As provided for in Sec. 62.1 of the IRR-A of RA 9184, I/We conform to the three (3) months warranty in case of supplies and one (1) year warranty in the case of equipment from the date the goods are completely delivered

(Signature Over Printed Name of Supplier/Duly Authorized Representative)

ORS/BURS No. :

Total

University Aresident

Fund Cluster:	
Funds Available:	

ARLENE D. GALES, CPA
Signature over Printed Name of Chief Accountant/ Head of Accounting Division/Unit

Date of the ORS/BURS:

Very truly yours,

ROLYN

Amount: 486,000.00



PURCHASE ORDER

CARAGA STATE UNIVERSITY

Cabadbaran Campus





		ENTERPR	RISES		002-2024-04-09	8
ddress:	Butuan	City			09/05/2024	
IN:		,		Mode of Pr	rocurement:	NP-SVP
entleme	Please fi		Office the following articles subject to the terms and conditions contained herein:	Delivery Te	arm:	
The control of the co				Payment T		within 60 days upon
ate of L	elivery	within 30	thin 30 days upon received P.O	- rayment remi		complete delivery
Stock	Unit		Description	Quantity	Unit Cost	Total Cost
No.	pair	contacts on the d gauge 1/ The slim requirem precisem avoids he applicati amplified POWERE	LUG PROFESSIONAL, 1/4" professional phone plug, 2pole, nickel in nickel shell The heavy duty professionalphone plug series improves esign of the existing C series by offering the thinnest available A-24" plug with uniqueNeutrik chuck type strain relief on the market. If the shell with a width of 14.5 mm meets the most recent ments for highest density jackfields (15.88mm jack pitch). The machined one-piece tip contact without rivets makes it unique and book up in a socket or break off the tip. The Plug X Seriesserves all ions such as guitar applications, audio cables, snakes, speakers, and mixing desks. (offer brand: NUTRIK) D SPEAKER 1300 WATTS 15INCH WITH BUILT-INBLUETOOTH, Custom-15-inch 2114H compression driver Re-designed high-frequency horn	40	300.00	
	unit	Power: 1 55 Hz-20 I/Os: 2 X Automat EQ - Buil access to and cont handles: Universa cabinets	1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB); 1,300W peak / 650W RMS Frequency response: 45 Hz-20 kHz (-10 dB);	1	50,000.00	
	unit	SUBWOO	D SUBWOOFER 600W, KRX 615SA SINGLE 15INCHES POWERED OFER, 600W AMPLIFIER, 3 INCHES VCOIL, CLASS D, XLR LINE OUTPUT (offer brand: KEVLER KRX 6155A)	1	35,000.00	
	sets	1	ABLE, SENDS: 12 XLR MALE CONNECTORS -RETURNS: 4 XLR FEMALE TORS (1 MIX)	3	16,000.00	
	set	SPEAKER *Bluetoo *Top/Sid	t, Stereo Bluetooth Speaker *With built in ported subwoofer oth 5.0 *With remote control *Audio inputs: AUX, Line in, Bluetooth de mounted volume control and wireless remote control rand: EDIFIER R1280DBS)	1	7,800.00	
			Page 3 of 4		Total	20,000.00
percent for	r everyda		warranty in case of supplies and one (1) year warranty in the case of equipm from the date the goods are completely delivered	Very truly	yours, ROLYN C DAG University Pro	
8			(Signature Over Printed Name of Supplier/Duly Authorized Representative		4"24	- 05 · 3
Fund Clu	uster:		ARLENE D. GALES, CPA	ORS/BURS I	No.: ne ORS/BURS: _	100
Funds Available:			Signature over Printed Name of Chief Accountant/	Amount:	486,000.00	12 0 MAY 2024

Head of Accounting Division/Unit



PURCHASE ORDER

CARAGA STATE UNIVERSITY

Cabadbaran Campus

City of Cabadbaran, Agusan del Norte



Supplier: VOCOM ENTERPRISES P. O. No. 002-2024-04-098 09/05/2024 Address: Butuan City Date: NP-SVP Mode of Procurement: TIN-Gentlemen: Please furnish this Office the following articles subject to the terms and conditions contained herein: Delivery Term: Place of Delivery Pick up from Payment Term: Date of Delivery: 30 days upon receive P.O. within 60 days upon complete delivery Stock Unit Description Quantity **Unit Cost Total Cost** No SPEAKER 12D ACTIVE 500W, ZLX-12D Active Professional Plastic Molded Speaker 500W 12" active speaker system 1 piece Power, Signal, Clip Crossover Frequency: 2.5KHz AC Input: 220V 50-60Hz only Provide excellent vocal and bass performance Rugged plastic mold design cabinet Bottom pole mount for tripod stand Signal loop for extended system application USB / Bluetooth Functions Multiple handle for easy transport 90 X 60 degrees wave guide horn for wide coverage Multi angle enclosure can also use a monitor 2 18,000.00 unit Line level and direct mic input DSP management control w/ 5 preset settings Normal, DJ, Voice, Live, Flat System Type: 2 Way Bass Reflex LF: 12" woofer (2.5" Voice coil size) HF:1.7" Polymide Dome Tweeter Freq Response: 45Hz-20KHz Amp Power: 500W Class D Input Impedance: 20K ohms Input Gain: line: +20dBu/Mic: +40dB Input Connector: Live (RCA & XLR combo jack) Output Connector: Line (XLR loop through) THD: Less than 0.5% LED Indicator: (brand offer: KEVLER-Z2X-12D) SPEAKER 15 PASSIVE 1000W, ZLX-15 Passive Speaker System with speak-on jack and 5meter wire 15" passive speaker system 1000W rugged plastic mold design cabinet bottom pole mount for tripod stand multiple handles for easy 2 12,300.00 transport 90 - 60 waveguide horn for wide coverage multi-angle enclosure can also use as a monitor easy daisy-chain loop connections Type: 2 Way Full Range Power: 1000W Impedance: 8 ohms Sensitivity: 99 dB Freq. resp.:43Hz -20KHz Dimension: 45 x 38 x 71 cm (brand offer: KEVLER Z2X-15) SPEAKER 15 PASSIVE 1000W, ZLX-15 Passive Speaker System with speak-on jack and 5meter wire 15" passive speaker system 1000W rugged plastic mold design cabinet bottom pole mount for tripod stand multiple handles for easy transport 90 - 60 waveguide horn for wide coverage multi-angle enclosure 1 12,300.00 can also use as a monitor easy daisy-chain loop connections Type: 2 Way Full Range Power: 1000W Impedance: 8 ohms Sensitivity: 99 dB Freq. resp.:43Hz -20KHz Dimension: 45 x 38 x 71 cm (brand offer: KEVLER Z2X-15) SPEAKER POLE STAND, PROFESSIONAL EXTENDABLELOCKABLE SPEAKER POLE 1 1,500.00 SP-1 SPEAKER STAND UP TO 156CM POLE DIAMETER: 4.5CM SPEAKER WALL MOUNTED BRACKET, :NB-908 PROFESSIONAL SPEAKER 3 2,200.00 BRACKET UP TO 50KG STANDARD FIT TO ALL SPEAKER'S WITH HOLE (brand offer: NB-908) **nothing follows********** Page 4 of 4 Total 486,000.00 in case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for everyday of delay shall be imposed. Very truly yours, Contorme: VOCOM ENTERPRISES (Signature Over Printed Name of Supplier) DAGUIL, PhD ROLYN esident sity (Date) As provided for in Sec. 62.1 of the IRR-A of RA 9184, I/We conform to the three (3) months warranty in case of supplies and one (1) year warranty in the case of equipment from the date the goods are completely delivered (Signature Over Printed Name of Supplier/Duly Authorized Representative) Fund Cluster: ORS/BURS No. : ARLENE D. GALES, CPA Date of the ORS/BURS: 486,000.00 12 U MAY 2024 Signature over Printed Name of Chief Accountant/ Amount: Funds Available:

Head of Accounting Division/Unit