

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

CONSTRUCTION, IMPROVEMENT AND REPAIR OF VARIOUS CSUCC STRUCTURE

for

Caraga State University
Cabadbaran City (CSUCC)

Project Identification Number: *IGF-164-2024-01-31*

Approved Budget for the Contract:

Two Million One Hundred Fifty-Eight Thousand
Two Hundred Forty-Nine Pesos Only
(Php 2,158,249.00)

Government of the Republic of the Philippines

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the “Works”) through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

GLOSSARY OF	5
TERMS, ABBREVIATIONS, AND ACRONYMS	5
SECTION I. INVITATION TO BID	8
INVITATION TO BID FOR THE	Error! Bookmark not defined.
SECTION II. INSTRUCTIONS TO BIDDERS	12
1. Scope of Bid.....	13
2. Funding Information	13
3. Bidding Requirements.....	13
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	13
5. Eligible Bidders.....	14
6. Origin of Associated Goods	14
7. Subcontracts	14
8. Pre-Bid Conference	15
9. Clarification and Amendment of Bidding Documents.....	15
10. Documents Comprising the Bid: Eligibility and Technical Components	15
11. Documents Comprising the Bid: Financial Component	16
12. Alternative Bids	16
13. Bid Prices	16
14. Bid and Payment Currencies.....	16
15. Bid Security.....	16
16. Sealing and Marking of Bids.....	17
17. Deadline for Submission of Bids	17
18. Opening and Preliminary Examination of Bids	17
19. Detailed Evaluation and Comparison of Bids	17
20. Post Qualification.....	18
21. Signing of the Contract	18
SECTION III. BID DATA SHEET	19
SECTION IV. GENERAL CONDITIONS OF CONTRACT.....	23
1. Scope of Contract.....	24
2. Sectional Completion of Works	24
3. Possession of Site	24
4. The Contractor's Obligations.....	24

5.	Performance Security	25
6.	Site Investigation Reports	25
7.	Warranty.....	25
8.	Liability of the Contractor.....	25
9.	Termination for Other Causes.....	25
10.	Dayworks	26
11.	Program of Work.....	26
12.	Instructions, Inspections and Audits	26
13.	Advance Payment.....	26
14.	Progress Payments	26
15.	Operating and Maintenance Manuals.....	27
SECTION V. SPECIAL CONDITIONS OF CONTRACT		28
SECTION VI. SPECIFICATIONS		30
SECTION VII. DRAWINGS		60
SECTION VIII. BILL OF QUANTITIES		61
SECTION IX. CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS.....		64
BID FORM.....		73

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



INVITATION TO BID FOR CONSTRUCTION, IMPROVEMENT AND REPAIR OF VARIOUS CSUCC STRUCTURE

1. The *Caraga State University Cabadbaran City (CSUCC)* through the *Internally Generated Fund (IGF) 2024* intends to apply the sum of **Two Million One Hundred Fifty-Eight Thousand Two Hundred Forty-Nine Pesos Only** (Php 2,158,249.00) being the Approved Budget for the Contract (ABC) to payments under the contract for *CONSTRUCTION, IMPROVEMENT AND REPAIR OF VARIOUS CSUCC STRUCTURE/IGF-164-2024-01-31*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *CSUCC* now invites PhilGEPS registered contractors with valid and current Philippine Contractors Accreditation Board (PCAB) License of at least Category “C & D” and Classification B for General Building to bid for the above Procurement Project. The required Completion of the Works is *180 CD*. Bidders should have completed a contract similar to the Project equivalent to at least fifty (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Interested bidders may obtain further information from *CSUCC* and inspect the Bidding Documents at the address given below from *Monday-Friday 8:00AM – 5:00 PM*;
5. A complete set of Bidding Documents may be acquired by interested bidders on ***September 18, 2024 – October 8, 2024 before 9:30AM*** from given address and website/s below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php 5,000.00.*

The Procuring Entity shall allow the bidder to present its proof of payment for the fees (a) ***physically*** by showing the ***Original Copy of the Official Receipt***, or (b) ***electronically*** by sending the scanned copy of the Official Receipt to: ***bac@csucc.edu.ph*** together with a scanned copy of the government issued ID of the company’s authorized representative. Both shall be sent from the ***company’s official email address***.

6. *CSUCC* will hold a Pre-Bid Conference¹ on ***September 26, 2024 @ 9:30 AM*** through video conferencing or webcasting *via Zoom*. This will be open to all prospective bidders who submitted the filled pre-registration form using this link: ***https://docs.google.com/forms/d/1W_ODvZqfsFHqIUeqv6FIPvcBmhhotlclcbzu0swChSA/edit*** prior to the meeting schedule. A link to join the virtual meeting shall follow after the pre-registration is submitted, which shall be open to prospective bidders.

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

7. Bids must be duly received by the BAC Secretariat through either (i) manual submission at the office address as indicated below, or (ii) online/electronic submission to the email address as indicated below, on or before **October 8, 2024 @ 9:30AM**. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
9. Bid opening shall be on **October 8, 2024 @ 9:30AM**. at **CSUCC AVR** of the for those who will attend physically. For those who submitted bid electronically, Zoom link shall be provided after presenting the proof of payment for the required fees. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. **A) For Manual Submission of Bids.** Bids must be received by the BAC Secretariat at the address below upon presentation of the following documents by the bidder or his/her authorized representative:
 - Original Official Receipt (OR) of payment of bidding documents;
 - Company ID with a Government-issued ID
 - Special Power of Attorney (SPA) or Authorization Letter (for company's authorized representative)

B) For Electronic Submission of Bids. Bidders, after payment of applicable fee, must send their bidding documents in **PDF file using the official email address of their company with a two-factor security procedure (GPPB Resolution 09-2020)**. **That is, the bid documents must be submitted in archive format compression with Password Protection to this email address: bac@csucc.edu.ph, any time before the specified closing date and time. Bidders shall disclose the password for accessing their respective bid submission only during the actual bid opening.** Together with their bid, a clear scanned copy of the following shall also be submitted:

- **Deposit slip** of the payment of Bid Docs (*Note: Official Acceptance of Bid shall follow after Cashier's verification/validation of payment along with the issuance of official receipt*).
- **Duly signed Authorization letter/Special Power of Attorney (SPA)** of the company's duly authorized representative, if any
- **Company ID** of the owner and his/her designated Representative, if any; and,
- **Government issued ID** of the owner and his/her designated Representative, if any.

Payments may be deposited to Land Bank bearing the following information

Account name: CSU Cabadbaran Campus

Account number: 3152 1015 88

*Purpose: Payment of Bid docs for CONSTRUCTION,
IMPROVEMENT AND REPAIR OF VARIOUS CSUCC
STRUCTURE*

11. CSUCC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

Wennie O. Catubig – Angeles

BAC Secretariat

Bidding & Awards Committee Office

Caraga State University Cabadbaran City

T. Curato St., Cabadbaran City

Email: bac@csucc.edu.ph

Telephone/Mobile phone: 085-8186713/ 09177011590

13. You may visit the following websites:

For downloading of Bidding Documents: [www.csucc.edu.ph/ philgeps.gov.ph](http://www.csucc.edu.ph/philgeps.gov.ph)

For online bid submission: bac@csucc.edu.ph

September 18, 2024

SGD. RAMIL B. ARANTE, Ph.D.

BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *CSUCC* invites Bids for the *CONSTRUCTION, IMPROVEMENT AND REPAIR OF VARIOUS CSUCC STRUCTURE* with Project Identification Number *IGF-164-2024-01-31*.

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2024 in the amount of Php 2,158,249.00.

2.2. The source of funding is:

- a. GOCC and GFIs, the Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.
- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.1. *[If Procuring Entity has determined that subcontracting is allowed during the bidding, state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

- 7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time through videoconferencing using ZOOM platform as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of

availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. *Payment of the contract price shall be made in:*

- a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until *February 5, 2025 or One Hundred Twenty Calendar Days (120) from Bid Opening date (October 8, 2024)*. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

- 18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause																																							
5.2	<p>For this purpose, contracts similar to the Project refer to contracts which have the same major categories of the following work:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 10%;">ITEM NO.</th> <th style="width: 55%;">DESCRIPTION</th> <th style="width: 15%;">QUANTITY</th> <th style="width: 20%;">UNIT</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>ESTABLISHMENT OF FOOD COURT AT STUDY SHED</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">2</td> <td>IMPROVEMENT OF STUDY SHED</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">3</td> <td>USG OFFICE (EXTENSION OF CANOPY)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">4</td> <td>WORSHIP CENTER (PHASE 2)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">5</td> <td>REPAIR OF DAMAGED CEILING AT ATHENAEUM FAÇADE</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">6</td> <td>REPAIR AND MAINTENANCE OF ATHENAEUM MUSEUM</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">7</td> <td>REPLACEMENT OF FLOOR TILES IN THE LIBRARY</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> <tr> <td style="text-align: center;">8</td> <td>REPAIR OF USG OFFICE</td> <td style="text-align: center;">1</td> <td style="text-align: center;">LOT</td> </tr> </tbody> </table>			ITEM NO.	DESCRIPTION	QUANTITY	UNIT	1	ESTABLISHMENT OF FOOD COURT AT STUDY SHED	1	LOT	2	IMPROVEMENT OF STUDY SHED	1	LOT	3	USG OFFICE (EXTENSION OF CANOPY)	1	LOT	4	WORSHIP CENTER (PHASE 2)	1	LOT	5	REPAIR OF DAMAGED CEILING AT ATHENAEUM FAÇADE	1	LOT	6	REPAIR AND MAINTENANCE OF ATHENAEUM MUSEUM	1	LOT	7	REPLACEMENT OF FLOOR TILES IN THE LIBRARY	1	LOT	8	REPAIR OF USG OFFICE	1	LOT
ITEM NO.	DESCRIPTION	QUANTITY	UNIT																																				
1	ESTABLISHMENT OF FOOD COURT AT STUDY SHED	1	LOT																																				
2	IMPROVEMENT OF STUDY SHED	1	LOT																																				
3	USG OFFICE (EXTENSION OF CANOPY)	1	LOT																																				
4	WORSHIP CENTER (PHASE 2)	1	LOT																																				
5	REPAIR OF DAMAGED CEILING AT ATHENAEUM FAÇADE	1	LOT																																				
6	REPAIR AND MAINTENANCE OF ATHENAEUM MUSEUM	1	LOT																																				
7	REPLACEMENT OF FLOOR TILES IN THE LIBRARY	1	LOT																																				
8	REPAIR OF USG OFFICE	1	LOT																																				
7.1	<i>Subcontracting is not allowed</i>																																						
10.3	<p>Prospective bidders must have at least a license category “C & D” and a license classification “B” for General Building from the Philippine Contractors Accreditation Board (PCAB) for General Building. The PCAB license must be valid and effective at the time of submission of the bid.</p> <p>In case of joint ventures, a valid Special PCAB License, and registration for the type and cost of the contract for this Project is required.</p>																																						
10.4	<p>The key personnel must meet the required minimum years of experience set below:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 55%;"><u>Key Personnel</u></th> <th style="width: 20%;"><u>General Experience</u></th> <th style="width: 25%;"><u>Relevant Experience</u></th> </tr> </thead> <tbody> <tr> <td>Project Manager (Licensed Civil Engineer or Architect)</td> <td style="text-align: center;">5</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Foreman</td> <td style="text-align: center;">5</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Health and Safety Engineer/Officer with valid Certificate of Training in Occupational Safety and Health</td> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> </tr> </tbody> </table>			<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	Project Manager (Licensed Civil Engineer or Architect)	5	5	Foreman	5	5	Health and Safety Engineer/Officer with valid Certificate of Training in Occupational Safety and Health	3	3																								
<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>																																					
Project Manager (Licensed Civil Engineer or Architect)	5	5																																					
Foreman	5	5																																					
Health and Safety Engineer/Officer with valid Certificate of Training in Occupational Safety and Health	3	3																																					

10.5	<p>The minimum major equipment requirements are the following:</p> <table border="1" data-bbox="384 219 1382 524"> <thead> <tr> <th data-bbox="384 219 459 293"><u>No</u></th> <th data-bbox="459 219 1046 293"><u>Equipment</u></th> <th data-bbox="1046 219 1219 293"><u>Capacity</u></th> <th data-bbox="1219 219 1382 293"><u>Number of Units</u></th> </tr> </thead> <tbody> <tr> <td data-bbox="384 293 459 331"><u>1</u></td> <td data-bbox="459 293 1046 331">One-bagger Concrete Mixer</td> <td data-bbox="1046 293 1219 331">-</td> <td data-bbox="1219 293 1382 331">1</td> </tr> <tr> <td data-bbox="384 331 459 369"><u>2</u></td> <td data-bbox="459 331 1046 369">Cut off wheel (engine-driven)</td> <td data-bbox="1046 331 1219 369">-</td> <td data-bbox="1219 331 1382 369">1</td> </tr> <tr> <td data-bbox="384 369 459 407"><u>3</u></td> <td data-bbox="459 369 1046 407">Welding machine</td> <td data-bbox="1046 369 1219 407">-</td> <td data-bbox="1219 369 1382 407">2</td> </tr> <tr> <td data-bbox="384 407 459 445"><u>4</u></td> <td data-bbox="459 407 1046 445">Concrete Vibrator</td> <td data-bbox="1046 407 1219 445">-</td> <td data-bbox="1219 407 1382 445">1</td> </tr> <tr> <td data-bbox="384 445 459 483"><u>5</u></td> <td data-bbox="459 445 1046 483">Plate compactor</td> <td data-bbox="1046 445 1219 483">-</td> <td data-bbox="1219 445 1382 483">1</td> </tr> <tr> <td data-bbox="384 483 459 524"><u>6</u></td> <td data-bbox="459 483 1046 524">Angle grinder</td> <td data-bbox="1046 483 1219 524">-</td> <td data-bbox="1219 483 1382 524">1</td> </tr> </tbody> </table> <p data-bbox="384 524 1382 562">Please refer to D.O. 11, Series of 2017 for the minimum materials testing equipment</p> <p data-bbox="384 562 1382 600">Acceptable proof of ownership:</p> <ul data-bbox="448 600 1382 1128" style="list-style-type: none"> • Official Receipt • Deed of Sale • OR/CR • Sales Invoice showing payment of VAT • Proforma Invoice supported by a Sales Invoice • Letter of Credit from bank with attached Purchase Order supported by a Sales Invoice • Acknowledgement Receipt from Supplier • Commercial Receipt/Commercial Invoice • Original Invoice with attached Packing List • Bill of Lading • Collection Receipt • Delivery Receipt • Lease Agreement • Under Purchase Agreement 	<u>No</u>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>	<u>1</u>	One-bagger Concrete Mixer	-	1	<u>2</u>	Cut off wheel (engine-driven)	-	1	<u>3</u>	Welding machine	-	2	<u>4</u>	Concrete Vibrator	-	1	<u>5</u>	Plate compactor	-	1	<u>6</u>	Angle grinder	-	1
<u>No</u>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>																										
<u>1</u>	One-bagger Concrete Mixer	-	1																										
<u>2</u>	Cut off wheel (engine-driven)	-	1																										
<u>3</u>	Welding machine	-	2																										
<u>4</u>	Concrete Vibrator	-	1																										
<u>5</u>	Plate compactor	-	1																										
<u>6</u>	Angle grinder	-	1																										
12	<i>[Insert Value Engineering clause if allowed.]</i>																												
15.1	<p>The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts:</p> <p>a. The amount of not less than <i>Php 43,164.98 (2% of Php 2,158,249.00)</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</p> <p>b. The amount of not less than <i>Php 107,912.45 (5% of Php 2,158,249.00)</i> if bid security is in Surety Bond.</p>																												
19.2	Partial bids are not allowed																												
20	<p><i>[List licenses and permits relevant to the Project and the corresponding law requiring it, e.g. Environmental Compliance Certificate, Certification that the project site is not within a geohazard zone, etc.]</i></p> <p style="text-align: center;">○ <i>Site Inspection Certificate</i></p> <p>For purposes of Post-qualification the following document(s) shall be required to be submitted within five (5) calendar days from receipt of notice from the BAC:</p> <p style="text-align: center;">Income Tax Returns for year 2023 (BIR Form 1701 or 1702); Latest Value Added Tax Returns (Forms 2550M and 2550Q) or Percentage Tax Returns (Form 2551M).</p>																												

	<p>For this requirement, it is considered as latest return when filed within the last two (2) months before the deadline of the submission of bids.</p> <p>The income tax and business tax returns stated above should have been filed through the Electronic Filing and Payment System (eFPS).</p>
21	<p>Additional contract documents relevant to the Project:</p> <ul style="list-style-type: none"> - Duly signed PERT/CPM Network Diagram; - Bar Chart with S- Curve; - Cash flow Projection; - Payment Schedule on monthly basis; - Manpower schedule; - Construction methods; - Equipment utilization schedule; - Construction safety and health program approved by the DOLE, and other acceptable tools of project scheduling; - Contractor's All Risk Issuance (CARI) in accordance with Clause 12 of the General Conditions of Contract; and - Certification under oath stating that the contractor is free and clean of all tax liabilities to the Government

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex “E” of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor’s Bid shall be used for small additional amounts of work only when the Procuring Entity’s Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

11.1. The Contractor shall submit to the Procuring Entity’s Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.

11.2. The Contractor shall submit to the Procuring Entity’s Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor’s accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex “E” of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity’s Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide “as built” Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity’s Representative’s approval, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	<i>The Intended number of days for Completion is 180 calendar days from the start of construction.</i>
4.1	CSUCC shall give possession of all parts of the Site to the Contractor <i>a day after the receipt of Notice to Proceed.</i>
6	It shall be the responsibility of the Contractor to obtain the site investigation reports. <i>Site inspection is required.</i>
7.2	<i>[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years.</i>
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within <i>Ten calendar</i> days from the delivery of the Notice of Award.
11.2	The period between Program of Work updates is <i>Fifteen Calendar</i> days. The amount to be withheld for late submission of an updated Program of Work is <i>One percent of the progress billing.</i>
13	The amount of the advance payment is <i>15 % of the Contract price</i> to be recouped by deducting fifteen percent (15%) from the periodic progress billing.
14	Materials and equipment delivered on the site but not completely put in place shall not be included for payment.
15.1	The date by which operating and maintenance manuals are required is <i>upon delivery.</i> The date by which "as built" drawings are required is thirty (30) days <i>from completion of the project</i>
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is <i>10% of the remaining Contract Price.</i>

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted

subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

TECHNICAL SPECIFICATIONS

Contract Name : **CONSTRUCTION, IMPROVEMENT & REPAIR OF VARIOUS CSUCC STRUCTURE**
Contract Location : **CSUCC, Cabadbaran City, Agusan del Norte**
ABC : **Php 2,158,249.00**
Subject : **STANDARD SPECIFICATIONS**

1. ESTABLISHMENT OF FOOD COURT AT STUDY SHED

• Fabrication Works and Embankment

A. Materials

Contractor shall use the following materials at minimum:

- Square Tube 2"x6"x1/4" @6m
- Square Tube 2"x4"x3/16" @6m
- Epoxy Primer Gray
- Cutting Disc 1mm #4
- Welding Rod 3/32 2.5 kg
- MS Plate (0.2m x 0.15m x 1/4" thk)
- Grind Disc #4
- Chalk Stone
- Fined Mix
- CHB #4

All materials must be of good condition

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Layout must be done accurately and must be inspected by the client's authorized representative prior to commencing of work for the frames. Any defects shall be addressed by the contractor at his own expense.

- **Construction of Pedestal Column**

- A. Materials

Contractor shall use the following materials at minimum:

- Cement 40 Kg
- RSB 10mm
- Tie Wire # 16
- OPW 4'x8'x1/4"
- Lumber 1x2x10
- Anchor Bolt M12 x 115mm w/ nut & washer
- CWN # 1
- CWN # 2 1/2

All materials must be of good condition

- B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Layout must be done accurately and must be inspected by the client's authorized representative prior to commencing of work for the frames. Any defects shall be addressed by the contractor at his own expense.

- **Roofing Works**

- A. Materials

Contractor shall use the following materials at minimum:

- Rib Type Color Roofing Long Span
- C-Purlins 2x3
- Tekcrew 2" per 100 pcs
- Magnetic Tekcrew Adapter
- Metal Drill Bit 1/8"
- Flat Bar 1x1x3/16" @6m
- Angle Bar 1x1x3/16" @6m
- Turnbuckle 10mm
- Round Bar 12mm

- Fascia Cover 12"
- Gutter 12"
- Flashing 12"
- Blind Rivets 1/8 x 1/2
- Roof Sealer 75ml
- Insulator 5mm
- Coated Screen Wire 1"
- PVC Elbow #3x45
- PVC Pipe #3
- PVC Solvent Cement 200cc

All materials must be of good condition

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Layout must be done accurately and must be inspected by the client's authorized representative prior to commencing of work for the frames. Any defects shall be addressed by the contractor at his own expense.

- **Comfort Room and Wash Area**

A. Materials

Contractor shall use the following materials at minimum:

- CHB #4
- Portland Cement
- RSB 10mm
- Tie Wire #16
- Flat Latex White
- Semi-Gloss White
- Latex Tinting Color Thalo Green
- Paint Brush #2
- Paint Roller #4
- Ceramic Tiles Green (40x40)
- ABC Tile Grout White 2kg

- ABC Tile Adhesive
- Vinyl Tile Trim White

All materials must be of good condition

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Layout must be done accurately and must be inspected by the client's authorized representative prior to commencing of work for the frames. Any defects shall be addressed by the contractor at his own expense.

- **Electrical Works**

A. Materials

Contractor shall use the following materials at minimum:

- THHN Wire #12
- 3 Gang Switch Flash Type
- 3 Gang Convenience Outlet
- PVC Pipe #1/2
- Pull Box 4X4
- Utility Box 2X4
- Florescent 18W
- Panel Board (6 Branches)
- Circuit Breaker 60A (Plug In)
- Circuit Breaker 20A (Plug In)
- Electrical Tape 1"
- Emergency Light
- Ventilation Fan (Bathroom) 8"

All materials must be of good condition

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation must be done accurately and must be inspected by the Electrical

engineer or authorized representative after the commencement of work. Any defects and poor workmanship must be rectified by the contractor at his own expense.

- **Plumbing Works**

- A. Materials

- Contractor shall use the following materials at minimum:

- Wall Hung Urinal
 - Water Closet
 - PVC Pipe #4
 - PVC Pipe #2
 - PVC Elbow #2x45
 - PVC Wye #4x2
 - PVC Cleanout w/ plug #4
 - Stainless Floor Drain 4x4
 - Angle Valve 1/2
 - Flexible Hose 1/2"x1/2"x20"
 - P-Trap #4
 - Brass Faucet
 - Camel Type Faucet
 - PVC Blue Pipe 1/2
 - PVC Blue Elbow 1/2 x 45
 - Gate Valve 1/2
 - Teflon Tape #3/4
 - PVC Solvent Cement

- All materials must be of good condition

- B. Methodology

- Contractor shall furnish the necessary labor and equipment for this pay item. Layout must be done accurately and must be inspected by the client's authorized representative prior to commencing of work for the frames. Any defects shall be addressed by the contractor at his own expense.

2. IMPROVEMENT OF STUDY SHED

- **Fabricated Materials (roof extension, foldable table)**

A. Materials

Contractor shall use the following materials at minimum:

- 1-1/2" dia. G.I Pipe, Schedule 40
- Welding rod 3/32
- 4" Cutting Disc,
- 4" Grinding Disc
- No 120. Flop Disc
- 3/4" Marine Plywood
- 50mmx 50mmx1.2mm Thick square tube
- 16" Foldable Shelf Bracket, Max Weight 50kg.

All materials must be of good condition

B. Methodology

Material used must inspected and free from any defects, Contaminants or inconsistencies. Clean Surfaces to be welded to remove any dirt, grease, or oxidation. Choose the appropriate welding process based on material and project requirements. Conduct pre-weld inspections to ensure all the preparations are complete and safety measures are in place. Marine Plywood table top must be fixed firmly into the Adjustable shelf bracket, and conduct test on mechanism to ensure correct function. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Pre-painted Metal Sheets**

A. Materials

Contractor shall use the following materials at minimum:

- Pre-Painted Metal Sheet Roofing Rib-type
- Tek screw 2"
- Water Sealant

B. Methodology

Installation of Roof must be aligned with the existing roof frame, and provide 1 groove overlap for each side. Screw connection must be applied with water sealant. Replaced all existing damaged roof. Any defects and poor workmanship must be rectified by the contract at his owns expense

- **Painting & Other Related**

A. Materials

Contractor shall use the following materials at minimum:

- Epoxy Primer w/ Catalyst (grey)
- Urethane, Orange
- Urethane , Reducer
- Lacquer Thinner
- Solvent acrylic Gloss (Light Grey colour)
- Solvent acrylic Gloss (Orange colour)
- Solvent acrylic reducer
- Paint thinner
- Sand Paper # 120
- Sand Paper # 240
- Sand Paper # 80
- Sand Paper # 400
- Sand Paper # 600

All materials must be of good condition.

B. Methodology

The painting surface must be clean thoroughly to remove any dirt, grease or contaminants prior to paint application. Surface must be sanded to create rough texture for paint better paint Adhesion. Alternatively, apply primer paint to the surface with two coats and allow the paint to dry according to manufacturer guidelines before applying the top coat layer. Apply paint on metal surface using Spray and Foam roller on concrete.

- **Plastering & Retouched**

- A. Materials

Contractor shall use the following materials at minimum:

- Portland Cement
- Screen Sand

All materials must be of good condition.

- B. Methodology

Dampen the surface lightly with water to improve adhesion the apply plaster cement. Once the plaster begins to set, polish the surface with a steel trowel to achieve a smooth uniform texture. Allow the plaster to dry according to product manual.

- **Electrical (Convenience Outlet)**

- A. Materials

Contractor shall use the following materials at minimum:

- 3.5mm² THHN Wire
- 2 gang, Surface type Convenience outlet
- 25mmx 12mm x 2400mm UPVC Electrical Wire Moulding
- Junction Box

All materials must be of good condition.

- B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation must be done accurately and must be inspected by the Campus Electrician or authorized representative after the commencement of work. Any defects and poor workmanship must be rectified by the contract at his owns expense.

3. USG OFFICE (EXTENSION OF CANOPY)

- **Fabricated Metal Structure**

A. Materials

Contractor shall use the following materials at minimum:

- 1"x1"x3/16" thick angle bar
- 1"x3/16" thick Flat bar
- 50mm x 100mm x1.5mm thick G.I Steel tube
- 50mm x 70mm x1.2mm thick G.I CEE Purlins
- Welding Rod 3/32
- 4" Cutting Disc
- 4" Grinding Disc

All materials must be of good condition

B. Methodology

Material used must inspected and free from any defects, Contaminants or inconsistencies. Clean Surfaces to be welded to remove any dirt, grease, or oxidation. Choose the appropriate welding process based on material and project requirements. Conduct pre-weld inspections to ensure all the preparations are complete and safety measures are in place. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Pre-painted metal sheets**

A. Materials

Contractor shall use the following materials at minimum:

- Pre-Painted metal Roofing Sheet. GA#26 long span Hi-rib type, white
- Pre-Painted metal fascia, Pre-formed based on design 12"x8ft, grey
- Blind Revit's 1"x3/4"
- 2-1/3" Tekscrew

All materials must be of good condition.

B. Methodology

Installation of Roof must be aligned with the roof frame, and provide one groove overlap for each side. Pre-painted fascia must be pre-formed based on the design. Screw connection must be applied with water sealant. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Painting & Other Related**

A. Materials

Contractor shall use the following materials at minimum:

- Solvent acrylic Cast
- Body Filler
- Solvent acrylic reducer
- Solvent acrylic Primer White
- Solvent acrylic Gloss White
- 4” Baby foam Roller
- 2” Paint Brush
- Sand Paper # 220
- Sand Paper # 400
- Sand Paper # 120
- Sand Paper # 80
- Epoxy Primer with Catalyst grey

All materials must be of good condition.

B. Methodology

The painting surface must be clean thoroughly to remove any dirt, grease or contaminants prior to paint application. Surface must be sanded to create rough texture for paint better paint Adhesion. Alternatively, apply primer paint to the surface with two coats and allow the paint to dry according to manufacturer guidelines before applying the top coat layer. Apply paint on metal surface using Spray and Foam roller on concrete.

- **Structure Excavation**

Contractor shall furnish the necessary labor and equipment for this pay. Site must be clear, remove any vegetation or structures that may obstruct excavation. Excavate to the required depth and dimension as per the drawing. Excavated materials must be used on backfilling.

- **Structural Concrete**

- A. Materials

Contractor shall use the following materials at minimum:

- Portland Cement
- Fined Sand
- ¾ Gravel

All materials must be of good condition.

- B. Methodology

Use Class A mixture, Concrete must be mix thoroughly to ensure a uniform consistency. Concrete must be pouring starting from the farthest point and towards the entry point. Use Vibrators to eliminate air pocket and ensure the concrete fills all void. Cure concrete for a minimum of 7 days, then kept moist. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Formworks & Scaffolding**

- A. Materials

Contractor shall use the following materials at minimum:

- ¼” Ordinary Plywood
- Common Wire Nails 1”
- Common Wire Nails 2-1/2”
- 1”x2”x10ft Good Lumber

All materials must be of good condition.

B. Methodology

Construct the formwork according to the design, ensuring it is strong, rigid, properly aligned. Use proper bracing and supports. Disassemble scaffolding systematically once the concrete is fully cured. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Electrical Works**

A. Materials

Contractor shall use the following materials at minimum:

- 3.5mm² THHN Wire
- Electrical Tape 3M
- 10W x 4ft LED Tube Light Cold Light 6000K Daylight
- Switch 3 Gang, Surface type

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation must be done accurately and must be inspected by the Campus Electrician or authorized representative after the commencement of work. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Reinforcing Steel**

A. Materials

Contractor shall use the following materials at minimum:

- 10mm dia. Deformed bars
- 12mm dia. Deformed bars
- Tie Wire no. 16

All materials must be of good condition.

B. Methodology

Materials to be use must be free form rust. Rebar bent and angles should follow according to structural drawing. Maintain specified rebar spacer from exposure to environmental elements and place rebar according to the structural drawing, ensuring correct alignment and spacing. Use tie wire to secure rebar at intersection to maintain stability. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Masonry Works**

A. Materials

Contractor shall use the following materials at minimum:

- Portland Cement
- Screened Sand
- 4” Concrete Hollow Block (CHB)

All materials must be of good condition.

B. Methodology

Excavate and Construct the foundation to provide a stable base for the masonry structure. Lay the first course of masonry units precisely, ensuring they are level and aligned. Apply mortar to the bed and head joints ensuring full bedding without gaps.

4. WORSHIP CENTER (PHASE 2)

- **Structural Concrete**

A. Materials

Contractor shall use the following materials at minimum:

- Portland Cement
- ¾” Dia. Washed Gravel
- Screen Sand

All materials must be of good condition

B. Methodology

Use Class A mixture, Concrete must be mix thoroughly to ensure a uniform consistency. Concrete must be pouring starting from the farthest point and towards the entry point. Use Vibrators to eliminate air pocket and ensure the concrete fills all void. Cure concrete for a minimum of 7 days, then kept moist. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Reinforcing Steel**

A. Materials

Contractor shall use the following materials at minimum:

- 10mm dia. Deformed bars
- Tie Wire no. 16

All materials must be of good condition.

B. Methodology

Materials to be use must be free form rust. Rebar bent and angles should follow according to structural drawing. Maintain specified rebar spacer from exposure to environmental elements and place rebar according to the structural drawing, ensuring correct alignment and spacing. Use tie wire to secure rebar at intersection to maintain stability. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Aluminum Framed Glass Windows**

A. Materials

Contractor shall use the following materials at minimum

- Fixed tinted Bronze glass window 1/4” thick, on standard analok frame

All materials must be of good condition.

B. Methodology

Use the standard aluminum frame. Ensure the site is clean and free of debris. Align and secure the aluminum frame properly, use appropriate fasteners and anchors as per manufacture recommendations. Apply sealant to joints and seams to prevent water and air infiltration. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Cement Plaster Finish**

A. Materials

Contractor shall use the following materials at minimum:

- Portland Cement
- Screened Sand

B. Methodology

Clean the surface to be plastered, remove any dust, grease or loose materials. Wet the surface with water to prevent it from absorbing moisture from the plaster mix. Fill any large cracks or holes with a suitable filler and let it dry completely. Using a trowel apply first layer of plaster about 10-12mm thick. Use a plastering float or notched trowel to create a rough surface, this helps the second coat adhere better. Allow proper curing period for cement plate, keep the plastered surface damp for at least 7 days to prevent cracking and ensure proper hydration of the cement. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Dam Proofing (Polyethylene Sheets)**

A. Materials

Contractor shall use the following materials at minimum:

- 6 mils Polyethylene Sheets

B. Methodology

Clean and level the ground surface, Spread the membrane across the entire floor area, ensuring it overlaps at joints and extends up the walls. Use adhesive tape or sealant to seal the joints and edges. Cover the membrane with a layer of sand screen to protect it before laying the final flooring. Any defects and poor workmanship must be rectified by the contractor at his own expense.

- **Masonry Works**

A. Materials

Contractor shall use the following materials at minimum:

- Portland Cement
- Screened Sand
- 6" Concrete Hollow Block (CHB)
- 10mm Dia. Deformed bars
- Tie Wire No. 16

All materials must be of good condition.

B. Methodology

Excavate and Construct the foundation to provide a stable base for the masonry structure. Lay the first course of masonry units precisely, ensuring they are level and aligned. Apply mortar to the bed and head joints ensuring full bedding without gaps.

- **Fabrication & Installation of Tubular steel**

A. Materials

Contractor shall use the following materials at minimum:

- 25mm x 50mm x 1.2mm thick x 6 meters G.I Rectangular Tube
- 50mm x 100mm x 1.5mm thick x 6 meters G.I Rectangular Tube
- Welding Electrode

- Sand Paper 400
- Sand Paper 600

All materials must be of good condition.

B. Methodology

Material used must inspected and free from any defects, Contaminants or inconsistencies. Clean Surfaces to be welded to remove any dirt, grease, or oxidation. Choose the appropriate welding process based on material and project requirements. Conduct pre-weld inspections to ensure all the preparations are complete and safety measures are in place. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Painting of Tubular Steel**

A. Materials

Contractor shall use the following materials at minimum:

- Epoxy Primer w/ Catalyst
- Acrylic Solvent Based Paint, Primer White
- Acrylic Solvent Paint Reducer
- Paint Brush No 3”, heavy duty

All materials must be of good condition.

B. Methodology

The painting surface must be clean thoroughly to remove any dirt, grease or contaminants prior to paint application. Surface must be sanded to create rough texture for paint better paint Adhesion. Alternatively, apply primer paint to the surface with two coats and allow the paint to dry according to manufacturer guidelines before applying the top coat layer. Apply paint on metal surface using Spray. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Door Accessories**

- A. Materials

Contractor shall use the following materials at minimum:

- Door lock and Barrel Bolt with complete accessories

All materials must be of good condition.

- B. Methodology

Door lock must be fabricated & welded to the metal frame, ensure the bolt aligns perfectly with the catch or socket on the door frame. Any defects and poor workmanship must be rectified by the contract at his owns expense.

5. REPAIR OF DAMAGED CEILING AT CSUCC ATHENAEUM FACADE

- **Ceiling Works**

- A. Materials

Contractor shall use the following materials at minimum:

- GA 24 Duple furring 19mm x 50mm x 5mts
- 1.00mm thick carrying channel 12mm x 38mm x 5mts
- GA 24 wall angle 25mmx 25mm x 2.4mts
- 1/2" Fiber Cement Board,
- Blind Revits 1"
- Furring clip

- B. Methodology

Contractor shall furnish the necessary labour and equipment for this pay item. Remove all damaged ceiling. Install metal furring spaced at 400mm and carrying channel spaced at 800 mm. Attach ceiling panels and ensure they are level and properly aligned. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Painting Works**

- A. Materials

Contractor shall use the following materials at minimum:

- solvent acrylic cast
- body filler
- solvent acrylic reducer
- solvent acrylic primer white
- solvent acrylic gloss white
- baby foam roller 4"
- paint brush, heavy duty
- sand paper 120
- sand paper 80
- paint tray large
- scraper
- putty knife

All materials must be of good condition.

- B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. The painting surface must be clean thoroughly to remove any dirt, grease or contaminants prior to paint application. Surface must be sanded to create rough texture for paint better paint Adhesion. Alternatively, apply primer paint to the surface with two coats and allow the paint to dry according to manufacturer guidelines before applying the top coat layer. Apply paint on metal surface using Spray and Foam roller on concrete.

6. REPAIR AND MAINTENANCE OF ATHENAEUM MUSEUM

- **Ceiling Works**

- A. Materials

Contractor shall use the following materials at minimum:

- G.A. 24 Double Furring 19mm x 50mm x 5mts

- 1.00mm thick Carrying Channel 12mm x 38mm x 5mts
- G.A. 24 Wall Angle 25mmx 25mm x 2.4mts
- PVC Ceiling Panel Pine 2.95m x 0.25m x 8mm thick
- Gypsum Board 4ft x 8ft x 9mm thick
- Blind rivet 1"
- Furring Clip
- Roof Water Proofing Sealant 300ml

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Remove all damaged ceiling & debris. Install metal furring spaced at 400mm and carrying channel spaced at 800 mm. PVC ceiling must be installed base on the manufacturer manual. Attach ceiling panels and ensure they are level and properly aligned. Any defects and poor workmanship must be rectified by the contract at his owns expense

- **Pre Painted Metal Sheets Roofing**

A. Materials

Contractor shall use the following materials at minimum:

- Pre-Painted Metal Roofing Hi-Rib Type
- Pre-Painted Metal Sheet Roof End flashing 2.4m
- Blind Rivet 1"x 3/8"
- Tek screw 2-1/2"
- Roof Water Proofing Sealant 300ml

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation of Roof must be aligned with the existing roof frame, and provide 1 groove overlap for each side. Screw connection must be applied with water sealant.

Replaced all existing damaged roof. Any defects and poor workmanship must be rectified by the contract at his owns expense

- **Painting Works**

- A. Materials

- Contractor shall use the following materials at minimum:

- Solvent acrylic Cast
 - Body Filler
 - Solvent acrylic Reducer
 - Solvent acrylic Primer White
 - Solvent acrylic Gloss White, Medium Gray
 - Baby Foam Roller 4"
 - Paint Brush, Heavy Duty
 - Sand Paper 120
 - Sand Paper 80
 - Paint Tray, large
 - Scraper
 - Putty Knife

- All materials must be of good condition.

- B. Methodology

- Contractor shall furnish the necessary labor and equipment for this pay item. The painting surface must be clean thoroughly to remove any dirt, grease or contaminants prior to paint application. Surface must be sanded to create rough texture for paint better paint Adhesion. Alternatively, apply primer paint to the surface with two coats and allow the paint to dry according to manufacturer guidelines before applying the top coat layer. Apply paint on metal surface using Spray and Foam roller on concrete.

- **Electrical Works**

- A. Materials

Contractor shall use the following materials at minimum:

- 6" Pin light fixture e27 with white border, 6" down light casing fixture
- LED Bulb (pin light)9w
- THHN Wire 3.5 mm2
- LED Power Supply 150 Watts 12v.
- LED Aluminum Profile hard light bar aluminum slot soft light strip light slot line light embedded light slot shell 17x12
- LED Strip Light 3000k Warm white
- T5 LED Tube light 15w warm white
- 4 pcs 12 W Track Lamp Spot Light with rail

All materials must be of good condition.

- B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation must be done accurately and must be inspected by the Electrical engineer or authorized representative after the commencement of work. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Wall Cladding Accent**

- A. Materials

Contractor shall use the following materials at minimum:

- GA 24 double furring 19mm x 50mm x 5mts
- Blind Rivets 1"
- Wood Plastic Composite (WPC) Panel Slat Series pine teak
- Wood Plastic Composite (WPC) panel joist
- Wood Plastic Composite (WPC) Angle pine teak
- Start clip

- Screw
- Screw & tox

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Clean and repair underlying structure. Cladding must be attached using screws, ensure panel are correctly aligned & level. Install trims and flashing to cover edges & joints. Any defects and poor workmanship must be rectified by the contract at his owns expense.

7. REPLACEMENT OF FLOOR TILES IN THE LIBRARY

- **Ceramic Tiles**

A. Materials

Contractor shall use the following materials at minimum:

- 60cm x 60cm Ceramic Tiles White
- Portland cement
- Tile Adhesive 25kg
- Tile Grout White 2kg
- Diamond Cutting Disc 4"

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Identify damages tiles and mark it, tile should to be used should match the tile size, color, and pattern. Use a utility knife to score the grout around the damaged tile, to separate it from the surrounding tile. Gently tap a chisel with a hammer to break the damaged tile into smaller pieces, start at the center and work way to the edges. Apply adhesive, spread evenly on the substrate using a notched trowel. Press the new tile firmly in the adhesive, wiggle it slightly to ensure adhere well. Any defects and poor workmanship must be rectified by the contract at his owns expense.

8. REPAIR OF USG OFFICE

- **Roofing**

- A. Materials

Contractor shall use the following materials at minimum:

- Corrugated G.I Sheet Gauge no. 24 36"x10'
- Plain G.I Sheets gauge no. 24
- Tek screw 2"
- Tek screw Adapter
- Roof Sealer

All materials must be of good condition.

- B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation of Roof must be aligned with the existing roof frame, and provide one groove overlap for each side. Screw connection must be applied with water sealant. Replaced all existing damaged roof. Any defects and poor workmanship must be rectified by the contract at his owns expense

- **Ceiling Works & Fabrication of Flush Door**

- A. Materials

Contractor shall use the following materials at minimum:

- 1/4"x4'x8' Marine Plywood
- 2"x2"x8' Good Lumber
- CWN #3
- CWN #2 1/2
- CWN # 1
- 2" Loose Pin Hinges
- Door Knob Heavy duty

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Remove all damaged ceiling. Install ceiling joist spaced at 600mm. Attach plywood ceiling panels and ensure they are level and properly aligned.

Fabricate door with 2"x2"x8 S4S Good lumber, follow standard carpentry joiner upon Assembly of Flush Door

- **Electrical Works**

A. Materials

Contractor shall use the following materials at minimum:

- Fluorescent
- Convenience Outlet 2 gang

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Installation must be done accurately and must be inspected by the Electrical engineer or authorized representative after the commencement of work. Any defects and poor workmanship must be rectified by the contract at his own expense.

- **Tile Works**

A. Materials

Contractor shall use the following materials at minimum:

- Cement 40kg
- Tile Adhesive
- Ceramic Tiles 60cmx60cm (wooden design)
- Floor Tiles white 40cmx40cm
- Diamond cutter blade 4"
- Tile grout brown

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Ensure the surface is clean, dry and level. Plan the layout including the starting point & pattern. Press the tiles firmly into the adhesive, starting from the center, place tile spacers between tiles to maintain gap for grout lines. Any defects and poor workmanship must be rectified by the contract at his owns expense.

- **Plumbing Works**

A. Materials

Contractor shall use the following materials at minimum:

- Water Closet Complete set
- Perineal Spray(bidet)
- Faucet plastic
- PVC pipe 4" dia
- PVC pipe 2" dia
- PVC wye 4" dia
- Clean out 4"
- PVC Wye 3"x2"
- Floor Drain 4"
- Lavatory faucet

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Checked signed of leaked and replace with S100 UPVC pipe. All connection must be sanded and apply with solvent cement to ensure adhesion. Conduct leaked test after installation. Install water Closet & Bidet based on manufacture guide. Based on water closet, should be applied with grout. defects and poor workmanship must be rectified by the contract at his owns expense.

- **Painting Works**

- A. Materials

Contractor shall use the following materials at minimum:

- Flat wall enamel
- Quick dry enamel
- Body filler w/ hardener
- Putty knife
- Flat latex white
- Semi-Gloss white
- Latex tinting Color Lamb black
- Latex tinting Color Hansa yellow
- Paint roller 4"
- Paint brush 2"
- Paint tray
- Paint thinner"

All materials must be of good condition.

- B. Methodology

The painting surface must be clean thoroughly to remove any dirt, grease or contaminants prior to paint application. Surface must be sanded to create rough texture for paint better paint Adhesion. Alternatively, apply primer paint to the surface with two coats and allow the paint to dry according to manufacturer guidelines before applying the top coat layer. Apply paint on metal surface using Spray and Foam roller on concrete.

- **Concrete Canopy**

- A. Materials

Contractor shall use the following materials at minimum:

- Cement 40kg
- 10mm Deformed bars
- Waterproofing compound(sahara)

All materials must be of good condition.

B. Methodology

Contractor shall furnish the necessary labor and equipment for this pay item. Provide Dowel prior to pouring of concrete pouring. A 10mm deformed bars should be used. Cement must be mixed with waterproofing compound in order to prevent water leaked. Any defects and poor workmanship must be rectified by the contract at his owns expense.

Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]

- 1. Architectural drawings***
- 2. Structural drawings***
- 3. Plumbing layout plan***
- 4. Electrical layout plan***

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.



Contract name : **CONSTRUCTION, IMPROVEMENT AND REPAIR OF VARIOUS CSUCC STRUCTURE**
 Contract Location: **CSUCC, Cabadbaran City, Agusan del Norte**
 ABC: **Php 2,158,249.00**

BILL OF QUANTITIES

ITEM NO.	DESCRIPTION	QTY.	UNIT
1	ESTABLISHMENT OF FOOD COURT AT STUDY SHED	1	LOT
2	IMPROVEMENT OF STUDY SHED	1	LOT
3	USG OFFICE (EXTENSION OF CANOPY)	1	LOT
4	WORSHIP CENTER (PHASE 2)	1	LOT
5	REPAIR OF DAMAGED CEILING AT ATHENAEUM FAÇADE	1	LOT
6	REPAIR AND MAINTENANCE OF ATHENAEUM MUSEUM	1	LOT
7	REPLACEMENT OF FLOOR TILES IN THE LIBRARY	1	LOT
8	REPAIR OF USG OFFICE	1	LOT
Bid Amount in Words:			
Submitted by:			
Name of Representative of the Bidder:			
Position:			
Name of Bidder:			

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
and
- (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (h) Philippine Contractors Accreditation Board (PCAB) License;
or
Special PCAB License in case of Joint Ventures;
and registration for the type and cost of the contract to be bid; **and**
- (i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (j) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;
 - b. List of contractor’s key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
 - c. List of contractor’s major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (k) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of

Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (l) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (m) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

- (n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (o) Original of duly signed and accomplished Financial Bid Form; **and**

Other documentary requirements under RA No. 9184

- (p) Original of duly signed Bid Prices in the Bill of Quantities; **and**
- (q) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; **and**
- (r) Cash Flow by Quarter.

Note: CSUCC requests two (2) sets of additional hard copies of bidding documents for COA and Finance Committee submission for those who submit bid manually.

- All photocopied/ not original document should be stamped with Certified True Copy (CTC).

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)

CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true

and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any**

payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)

CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: *[Insert number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)

CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacture/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rule]

Bid Form for the Procurement of Infrastructure Projects

BID FORM

Date : _____

Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: *[insert name of contract]*;
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- d. The discounts offered and the methodology for their application are: *[insert information]*;
- e. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines² for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;

² currently based on GPPB Resolution No. 09-2020

- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

**Contract Agreement Form for the
Procurement of Infrastructure Projects (Revised)**

*[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the
Notice of Award]*

CONTRACT AGREEMENT

THIS AGREEMENT, made this *[insert date]* day of *[insert month]*, *[insert year]* between *[name and address of PROCURING ENTITY]* (hereinafter called the “Entity”) and *[name and address of Contractor]* (hereinafter called the “Contractor”).

WHEREAS, the Entity is desirous that the Contractor execute *[name and identification number of contract]* (hereinafter called “the Works”) and the Entity has accepted the Bid for *[contract price in words and figures in specified currency]* by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, *viz.*:
 - a. Philippine Bidding Documents (PBDs);
 - i. Drawings/Plans;
 - ii. Specifications;
 - iii. Bill of Quantities;
 - iv. General and Special Conditions of Contract;
 - v. Supplemental or Bid Bulletins, if any;
 - b. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder’s conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the

Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

[Insert Signatory's Legal Capacity]

for:

for:

[Insert Name of Supplier]

[Insert Procuring Entity]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

